Tender Reference# CBBL/GSD/RFQ/2023/0035

Tender Title- RFQ (Request for Quotation) Technical and Financial Offer for supply of Technical Specification of 7 KVA/ 10 KVA Prime Diesel/ Petrol-Octane Mobile Generator with ATS & Canopy at Community Bank Bangladesh Limited, "Sir Iqbal Road (Kalibari) Sub Branch" Khulna

Dear Sir,

Quotation (BOQ with Technical Assessment Sheet) is hereby invited for supply of Technical and Financial Offer for supply of Technical Specification of 7 KVA/ 10 KVA Prime Diesel/ Petrol-Octane Mobile Generator with ATS & Canopy at Community Bank Bangladesh Limited, "Sir Iqbal Road (Kalibari) Sub Branch" Khuln at Sir Iqbal Road (Kalibari) Sub Branch" Khulna.

Mentionable that, only 01 of the 04 (four) types of generators as mentioned in the BOQ will be supplied to "Sir Iqbal Road, Kalibari, Khulna" Sub Branch. However, unit rate for all the 04 (four) types of generator shall be fixed for 06 (six) to 12 (twelve) months.

You are requested to submit (HARD COPY) your offer in a closed envelope as per below specification within 2.00 P.M. on April 17, 2023.

- √ No advance will be allowed in this regard.
- ✓ All price/ rate should be inclusive of VAT and Tax which will be deducted from source during payment of final bill after satisfactory completion of the works.
- ✓ Retention money will be kept i.e. 10% of the total payable bill will be kept for 01 (one) year.

Other terms, conditions and mode of payment will be as per Bank's standard and necessity.

Please, Financial & Technical Offer Must be submitted as per the format attached herewith.

Vendors whose scope of works does not match with the said job need not to submit their offer.

Regards

Md. Mahidul Hasan SPO, Manager- Procurement GSD, Head Office Community Bank Bangladesh Limited Cell# 01914092908



Technical Specification of 7 KVA Prime Diesel Mobile Generator with ATS & Canopy:

Generator Data:	Required Specification
Generator Brand:	Please specify
Generator Model:	Specify the model
Phase:	Single phase
Capacity (KVA):	Please specify
	Prime:
	Standby:
Country of Origin:	Please specify
Port of Shipment :	Please specify
Country of assemble	Please specify
-	
- 10 · · · · · · · · · · · · · · · · · ·	At 50% load:
Fuel Consumption per hour (L):	At 75% load:
	At 100% load:
Net Weight (Open Set):	Please specify
Overall Dimension open set (inch):	Please specify
Overall Dimension canopy set (inch):	Please specify
Speed, RPM:	Please specify
Operating Ambient Temp range	Please specify
Internal Fuel Tank Capacity (L):	Please specify
Lube oil capacity (L):	Please specify
Engine Data:	
Brand:	Please specify
Model:	Please specify
Country of Origin:	Please specify
No. of Cylinder:	Please specify
Engine Cooling System:	Air Cooling
Engine Operating Speed:	Please specify
Operating at ambient temp	Minimum 40 degree Centigrade



Technical Specification of 7 KVA Prime Diesel Mobile Generator with ATS & Canopy:

Generator Data:	Required Specification
Engine Manufacturing Year	Not before 2022
Alternator Data:	
Brand/Manufacturer	Please specify
Model:	Please specify
Country of Origin:	Please specify
Frequency:	50 Hz
Voltage:	220~230 Volt
Insulation Class:	Н
Voltage Regulation:	Please specify
Power Factor:	1
ATS (Automatic Transfer Switch)	Please specify
Acoustic Canopy	1. OEM Factory Made (Should be fully weatherproof sound attenuated enclosure with residential silencer) 2. Sound level should be less than 75 dBA at 3m distance at 100% load under free field condition 3. High quality noise absorbent and fire-retardant grade acoustic insulation material (P.U. Foam)
After Sales Service	2 years
Warranty	Please, 2 years' warranty period including all consumable & consumable items
Delivery & installation	Please mention the required time for delivery & installation. Installation, testing and Commissioning including all required installation materials must be borne by the bidders
Manufacturers Authorization/ Dealership Certificate	Please attach
Supply experience in at least three other commercial banks	Please attach
Stock information	Please mention the quantity

Unit Rate (BDT) (including VAT & Tax)	•
Quantity (nos)	1
Total (BDT) (including VAT & Tax)	



Technical Specification of 7 KVA Prime Petrol/Octane Mobile Generator with ATS & Canopy:

Generator Data:	Required Specification
Generator Brand:	Please specify
Generator Model:	Specify the model
Phase:	Single phase
Capacity (KVA):	Please specify
	Prime:
	Standby:
Country of Origin:	Please specify
Port of Shipment :	Please specify
Country of assemble	Please specify
Seed Consequentians are a bound (1)	At 50% load:
Fuel Consumption per hour (L):	At 75% load:
	At 100% load:
Net Weight (Open Set):	Please specify
Overall Dimension open set (inch):	Please specify
Overall Dimension canopy set (inch):	Please specify
Speed, RPM:	Please specify
Operating Ambient Temp range	Please specify
Internal Fuel Tank Capacity (L):	Please specify
Lube oil capacity (L):	Please specify
Engine Data:	
Brand:	Please specify
Model:	Please specify
Country of Origin:	Please specify
No. of Cylinder:	Please specify
Engine Cooling System:	Air Cooling
Engine Operating Speed:	Please specify
Operating at ambient temp	Minimum 40 degree Centigrade
Engine Manufacturing Year	Not before 2022



Technical Specification of 7 KVA Prime Petrol/Octane Mobile Generator with ATS & Canopy:

Generator Data:	Required Specification
Alternator Data:	
Brand/Manufacturer	Please specify
Model:	Please specify
Country of Origin:	Please specify
Frequency:	50 Hz
Voltage:	220~230 Volt
Insulation Class:	Н
Voltage Regulation:	Please specify
Power Factor:	1
ATS (Automatic Transfer Switch)	Please specify
	1. OEM Factory Made (Should be fully weatherproof
	sound attenuated enclosure with residential silencer)
	2. Sound level should be less than 75 dBA at 3m
Acoustic Canopy	distance at 100% load under free field condition
	3. High quality noise absorbent and fire-retardant
	grade acoustic insulation material (P.U. Foam)
After Sales Service	2 years
	2 years
Warranty	Please, 2 years' warranty period including all consumable & consumable items
	Please mention the required time for delivery & installation. Installation,
Delivery & installation	testing and Commissioning including all required installation materials must be borne by the bidders
Manufacturers Authorization/ Dealership Certificate	Please attach
Supply experience in at least three other commercial banks	Please attach
Stock information	Please mention the quantity

Unit Rate (BDT) (including VAT & Tax)	
Quantity (nos)	1
Total (BDT) (including VAT & Tax)	



TechnicaSpecification of 10 KVA Prime Petrol/Octane Mobile Generator with ATS & Canopy:

Generator Data:	Required Specification
Generator Brand:	Please specify
Generator Model:	Specify the model
Phase:	Single phase
Capacity (KVA):	Please specify
	Prime:
	Standby:
Country of Origin:	Please specify
Port of Shipment :	Please specify
Country of assemble	Please specify
	At 50% load:
Fuel Consumption per hour (L):	At 75% load:
	At 100% load:
Net Weight (Open Set):	Please specify
Overall Dimension open set (inch):	Please specify
Overall Dimension canopy set (inch):	Please specify
Speed, RPM:	Please specify
Operating Ambient Temp range	Please specify
Internal Fuel Tank Capacity (L):	Please specify
Lube oil capacity (L):	Please specify
Engine Data:	
Brand:	Please specify
Model:	Please specify
Country of Origin:	Please specify
No. of Cylinder:	Please specify
Engine Cooling System:	Air Cooling
Engine Operating Speed:	Please specify
Operating at ambient temp	Minimum 40 degree Centigrade
Engine Manufacturing Year	Not before 2022



TechnicaSpecification of 10 KVA Prime Petrol/Octane Mobile Generator with ATS & Canopy:

Generator Data:	Required Specification
Alternator Data:	
Brand/Manufacturer	Please specify
Model:	Please specify
Country of Origin:	Please specify
Frequency:	50 Hz
Voltage:	220~230 Volt
Insulation Class:	н
Voltage Regulation:	Please specify
Power Factor:	1
ATS (Automatic Transfer Switch)	Please specify
	1. OEM Factory Made (Should be fully weatherproof
	sound attenuated enclosure with residential silencer)
	2. Sound level should be less than 75 dBA at 3m
Acoustic Canopy	distance at 100% load under free field condition
	3. High quality noise absorbent and fire-retardant
	grade acoustic insulation material (P.U. Foam)
After Sales Service	2 years
Warranty	Please, 2 years' warranty period including all consumable & consumable items
Delivery & installation	Please mention the required time for delivery & installation. Installation, testing and Commissioning including all required installation materials must be borne by the bidders
Manufacturers Authorization/ Dealership Certificate	Please attach
Supply experience in at least three other commercial banks	Please attach
Stock information	Please mention the quantity

Unit Rate (BDT) (including VAT & Tax)	
Quantity (nos)	1
Total (BDT) (including VAT & Tax)	



Technical Specification of 10 KVA Prime Diesel Mobile Generator with ATS & Canopy:

Generator Data:	Required Specification
Generator Brand:	Please specify
Generator Model:	Specify the model
Phase:	Single phase
Capacity (KVA):	Please specify
	Prime:
	Standby:
Country of Origin:	Please specify
Port of Shipment :	Please specify
Country of assemble	Please specify
	At 50% load:
Fuel Consumption per hour (L):	At 75% load:
	At 100% load:
Net Weight (Open Set):	Please specify
Overall Dimension open set (inch):	Please specify
Overall Dimension canopy set (inch):	Please specify
Speed, RPM:	Please specify
Operating Ambient Temp range	Please specify
Internal Fuel Tank Capacity (L):	Please specify
Lube oil capacity (L):	Please specify
Engine Data:	
Brand:	Please specify
Model:	Please specify
Country of Origin:	Please specify
No. of Cylinder:	Please specify
Engine Cooling System:	Air Cooling
Engine Operating Speed:	Please specify
Operating at ambient temp	Minimum 40 degree Centigrade
Engine Manufacturing Year	Not before 2022



Technical Specification of 10 KVA Prime Diesel Mobile Generator with ATS & Canopy:

Generator Data:	Required Specification
Alternator Data:	
Brand/Manufacturer	Please specify
Model:	Please specify
Country of Origin:	Please specify
Frequency:	50 Hz
Voltage:	220~230 Volt
Insulation Class:	Н
Voltage Regulation:	Please specify
Power Factor:	1
ATS (Automatic Transfer Switch)	Please specify
	1. OEM Factory Made (Should be fully weatherproof
	sound attenuated enclosure with residential silencer)
	2. Sound level should be less than 75 dBA at 3m
Acoustic Canopy	distance at 100% load under free field condition
	3. High quality noise absorbent and fire-retardant
	grade acoustic insulation material (P.U. Foam)
After Sales Service	2 years
Warranty	Please, 2 years' warranty period including all consumable & consumable items
Delivery & installation	Please mention the required time for delivery & installation. Installation, testing and Commissioning including all required installation materials must be borne by the bidders
Manufacturers Authorization/ Dealership Certificate	Please attach
Supply experience in at least three other commercial banks	Please attach
Stock information	Please mention the quantity

Unit Rate (BDT) (including VAT & Tax)	
Quantity (nos)	1
Total (BDT) (including VAT & Tax)	