

**Tender Document** 

[Open Tendering Method]

[One Stage Two Envelop]

Tender for Supply of IP Phone for Community Bank Bangladesh PLC for next 06 (Six) months.

Invitation for Tender No: CBBL/HO\\ICT/17-2025/493

Dated: 27<sup>th</sup> July 2025 Tender issued on: 27<sup>th</sup> July 2025 Last Submission Date: 6<sup>th</sup> August

#### **Invitation for Tender Offer**

### BID SCHEDULE For

SL	Item Description	
1	IP Phone: X301P PoE & with Adapter.	01

#### **INVITATION TO BID**

The last date for submission of Tender is 6<sup>th</sup> August, 2025. Sealed Quotation Envelope (Technical & Financial in separate envelopes) shall be addressed to "Head of ICT, Community Bank Bangladesh PLC., Police Plaza Concord (Level 10, Tower 2), Gulshan 1, Dhaka-1212.", by 11:00 AM. These Bids (technical part) will be opened on same day at 02:00 PM. The bidder may depute their representative at the time of opening of Tender. Also note that technical proposal and live demonstration of the software will be evaluated after completing initial scrutiny of the required documents submitted along with the proposal. Financial proposal of the technically eligible bidders only, will be opened.

#### **Executive Summary**

Community Bank Bangladesh PLC, a concern of Bangladesh Police Kallyan Trust, has been established with a vision to serve communities with the tailor-made secured solutions abiding by the highest level of corporate governance. It aims to contribute to the economic growth of the country by providing financial products & services to the communities across geographies. State-of-the-art Core Banking System is an enabler to operate centrally in optimum magnitude. Community Bank Bangladesh PLC, runs on its three core building blocks i.e., Trust, Security and Progress.

#### Scope of Work

#### Scope of Bid

Bidders are required to propose solutions as specified in the technical and financial proposal for the supply, installation and implementation of following items. Bidders are required to propose their solutions under one envelop system. Bidders are required to quote for the items and are fully responsible for offered products and implementation of the same as specified in the terms and conditions.

The scope of the bid includes supply, installation and commissioning of various Hardware/Software are described below.

SL	SL Item Description	
1	IP Phone: X301P PoE & with Adapter.	01

Bidders may bid for above category.

The successful Bidders shall be responsible jointly and severally for all the products and Services offered by them for project management and co-ordination of the supply, installation, integration, testing, training and commissioning for the implementation of the mentioned items. During the course of installation, the successful bidder will have to work together for final implementation for which they will be held jointly and severally responsible.

#### Sealing and marking of envelop

Bidders are required to propose their solutions under **one stage two envelop** system. Bidders are required to quote for the items and are fully responsible for offered service and completion of the same as specified in the terms and conditions, duly marking the envelopes as:

- Inside Envelope 1
  - Bidder's Qualification.
  - Technical & Functional Responses.
- Inside Envelope 2
  - Financial Offer as per given format.

All the envelopes shall be addressed to CBBL at the address **given in the invitation to BID**, and bear the Procurement name, the Invitation for Bids title and number, and the statement **DO NOT OPEN BEFORE** [e.g. 6<sup>th</sup> August, 2025, 2:00 PM], to be filled in with the time and date specified in the BID.

If the envelopes are not sealed and marked as required above, CBBL will assume no responsibility for the misplacement of bid documents in whole or in part or premature opening. If the envelope discloses the Bidder's identity, CBBL will not guarantee the anonymity of the bid submission, but this disclosure will not constitute grounds for bid rejection.

### Bidder's qualification

- 1. The bidder must submit Manufacturer's Authorization Form (MAF).
- 2. The bidder must have at least 5 years' experience for the similar equipment's.
- 3. The bidder must submit client list for the same product, where at least 05 clients for any scheduled banks in Bangladesh.
- 4. The bidder must submit Up to Date Trade License, Certificate of in-corporation, TIN certificate and latest proof of submission return (PSR) copy.

# **Technical Details**

IP Phone: X301P PoE & with Adapter.				
Item Description Required Specification				
Brand	Fanvil			
Model	X301P PoE			
LCD	2.3-inch (132x64) Dot-matrix screen with backlight			
SIP Line	Minimum 2 SIP Lines			
Phone features	Local Phonebook (1000 entries) Remote Phonebook (XML/LDAP, 1000 entries) Call logs (In/Out/Missed, 600 entries) Black/White List Call Filter Voice Message Waiting Indication (VMWI) Programmable DSS/Soft keys Network Time Synchronization Support Plantronics wireless headset Support Jabra wireless headset Support Recording (Through Server)			
	Action URL / Active URI uaCSTA			
Call functions	Call / Accept / reject Mute / Unmute (microphone) Hold / Resume call Call waiting Intercom Caller ID display Speed dial Anonymous call (Hide caller ID) Call transfer (Always/Interests/No answer) Call transfer (attended/unattended) Call parking/reception (server dependent) Redial Do Not Disturb (Do-Not-Disturb) Automatic call answering Voice messaging (server dependent) 6-way conference Hotline Hot Desking			
Audio	HD Voice Microphone/Speaker (Handset/Handsfree, 0 ~ 7KHz Frequency Response) HAC headphone Wideband ADC/DAC with 16KHz sampling Narrowband codec: G.711a/u, G.723.1, G.726, G.729A/B, iLBC Broadband codec: G.722, Opus Full duplex acoustic echo cancellation (AEC) Voice Activity Detection (VAD) / Comfort Noise Generation (CNG) / Background Noise Estimation (BNE) / Noise Reduction (NR) / Automatic Gain Control (AGC) Automatic Gain Control (AGC) Packet Loss Concealment (PLC) DTMF: in-band, out-of-band (RFC2833/ SIP INFO) VQM voice quality monitoring			

Network	Physical: 10/100 Mbps Ethernet, dual bridged port for PC bypass IP Mode: IPv4/IPv6/IPv4	
	SIP2.0 over UDP/TCP/TLS, RTP/RTCP/SRTP, STUN, DHCP, IPv6, LLDP, PPPoE,	
Protocols	802.1x, L2TP, OpenVPN, SNTP, FTP/TFTP, HTTP/HTTPS, TR-069, AES128	
	Auto-Provisioning via FTP/TFTP/HTTP/HTTPS/DHCP OPT66/SIP/PNP/TR-069	
	Web-based management portal	
Implementation and	Internet Packet Dump	
management	Configuration export/import	
	Phonebook Import/Export	
	Firmware upgrade	
	Syslog	
	34 keys, including:	
	4 Soft-keys	
	7 function keys (Hold/Transfer/Conference/Phonebook/MWI/Handset/Dial)	
	2 Line keys (with LED)	
Keyboard	4 navigation keys	
,	1 OK button	
	12 standard telephone number keys	
	3 volume control buttons (Up/Down/Mute (Microphone))	
	1 hands-free car kit button	
Handset	1 x HD (RJ9)	
Cable	1 x Standard RJ9 handset cable	
Ethernet cable	1 x 1.5M CAT.5E	
Rear rack	Yes	
	1.77	
Status indicator	1 x (red)	
RJ9 port	1 x handset	
•	1 x headset	
RJ45 port	1 x network	
-	1 x computer (connected to network)	
Power input	DC5V / 0.6A	
Power consumption	Idle 0.9~1.48W	
1 Ower consumption	Peak Load 2.03~3.03W	
Operating	0~45°C	
temperature	U 45 C	
Operating humidity	10~95%	
Installation	Desktop Stand Wall mounted (additional wall hanging parts needed)	
Warranty Minimum 1 years.		

# **Stock Availability**

SL	Item Description	Quantity	Stock Status	
1	IP Phone: X301P PoE & with Adapter	01	Please mention (Ready stock is preferable)	

## **Financial Summary**

	Item Description	Qty.	Unit Price			Total Price
SL			Excluding VAT & AIT	Including AIT & Excluding VAT	Including VAT & AIT	(Including VAT& AIT)
1 I	IP Phone: X301P PoE & with Adapter	01				
	Price Offer Validity			180 Days		